


Sketch A



Sketch B



Sketch C

Make your own sketch and use list below
for connector and cable type requirements.

Sketch A

P1	P2
<input type="checkbox"/> Mini-DIN	<input type="checkbox"/> Mini-DIN
<input type="checkbox"/> DIN	<input type="checkbox"/> DIN
Gender	Gender
<input type="checkbox"/> Male	<input type="checkbox"/> Male
<input type="checkbox"/> Female	<input type="checkbox"/> Female
Pin Out (P1)	Pin Out (P2)
Shield _____	Pin # _____
Pin # 1 _____	Pin # _____
Pin # 2 _____	Pin # _____
Pin # 3 _____	Pin # _____
Pin # 4 _____	Pin # _____
Pin # 5 _____	Pin # _____
Pin # 6 _____	Pin # _____
Pin # 7 _____	Pin # _____
Pin # 8 _____	Pin # _____
Pin # 9 _____	Pin # _____

Sketch B

Connector Type	P1	Positions	M/F	P2	M/F
<input type="checkbox"/> D-Subminiature	_____	_____	<input type="checkbox"/>	_____	_____
<input type="checkbox"/> SCSI I	_____	_____	<input type="checkbox"/>	_____	_____
<input type="checkbox"/> SCSI II	_____	_____	<input type="checkbox"/>	_____	_____
<input type="checkbox"/> Centronics/Ribbon	_____	_____	<input type="checkbox"/>	_____	_____
<input type="checkbox"/> 13W3 Coax Combo	_____	_____	<input type="checkbox"/>	_____	_____
<input type="checkbox"/> Hi-Density D-Subminiature	_____	_____	<input type="checkbox"/>	_____	_____
<input type="checkbox"/> Other Type _____	_____	_____	<input type="checkbox"/>	_____	_____
Thumb Screws:			Pin Out (P1)	Pin Out (P2)	
<input type="checkbox"/> Metal					
<input type="checkbox"/> Molded					
<input type="checkbox"/> None					

*NOTE: Please provide pin-out specification for sketch B & C.

Cable Specifications

<input type="checkbox"/> Straight	<input type="checkbox"/> Coiled	Length _____
<input type="checkbox"/> UL Approved (Y/N)	_____	AWG _____
Number Conductors	_____	
Paired (Y/N)	_____	
Shielded:	<input type="checkbox"/> Braid	<input type="checkbox"/> Foil
Color:	_____	
Comments:	_____	

